

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1843962	displa\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 11:29
L2	1935607	display\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 11:29
L3	32604	plasma near5 display\$3 near5 panel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 11:35
L4	436	3 & ((sustain & scan\$3) near7 driver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:41
L5	385	4 & ((sustain & scan\$3) near7 electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:13
L6	2	"20040196217"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 11:50
L7	1	6 & Y	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:17
L8	158	5 & (potential with electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:18

L9	84	5 & (potential with (electrode\$1 near7 (scan\$3 & sustain\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:14
L10	34	9 & ((rais\$3 increas\$3) with potential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:15
L11	31	10 & switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:25
L12	15	11 & (inductor\$3 coil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:33
L13	12	12 & diode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:34
L14	3	13 & (spike near3 voltag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:35
L15	5	13 & (charg\$3 with recover\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:16
L16	30	"6011355"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:06

L17	9	16 & (potential with (rais\$3 increas\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:07
L18	518	3 & ((sustain\$3 & scan\$3) near7 driver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:13
L19	386	4 & ((sustain\$3 & scan\$3) near7 electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:13
L20	84	19 & (potential with (electrode\$1 near7 (scan\$3 & sustain\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:14
L21	70	19 & ((rais\$3 increas\$3) with potential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:23
L22	38	21 & switch\$3 & (inductor coil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:23
L23	15	22 & (charg\$3 with recover\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:24
L24	86	19 & ((rais\$3 ris\$3 increas\$3) with potential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:23

L25	46	24 & switch\$3 & (inductor coil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:24
L26	46	24 & switch\$3 & (inductor\$3 coil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:24
L27	19	26 & (charg\$3 with recover\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:24
L28	115	19 & (relay\$3 coil\$3 inductor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:41
L29	110	28 & switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:42
L30	74	29 & recover\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:43
L31	0	30 & ((ris\$3 rais\$3 increas\$3 high\$3) with potentail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:45
L32	32	30 & ((ris\$3 rais\$3 increas\$3 high\$3) with potential\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:45

S1	1934883	display\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 16:33
S2	58655	S1 same plasma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 16:34
S3	33945	plasma same display same panel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 16:40
S4	1033	S3 & ((sustain & scan & data) same electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 16:42
S5	202	S4 & (sustain with (driver near7 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 17:49
S6	146	S5 & switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 16:59
S7	59	S6 & ((first & second) with (sustain near7 driver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 17:50
S8	436	S4 & (sustain with driver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 17:49

S9	118	S8 & ((first & second) with (sustain near7 driver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 17:51
S10	81	S9 & switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 17:51
S11	47	S10 & (coil\$1 inductor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 18:43
S12	2	S8 & (recover\$3 with junction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:00
S13	99	S8 & (recover\$3 junction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:01
S14	31	S11 & (recover\$3 junction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:01
S15	2	S11 & (recover\$3 same junction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:01
S16	4	S11 & (recover\$3 & junction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 11:29